

ProfessionalPLUS Station Software Suite



All you need to configure, control, and diagnose your plant is available on the ProfessionalPLUS Station

- Global database, architected for flexibility and scalability
- Powerful, graphical engineering capabilities
- Robust and secure plant operations
- Integrated system and device diagnostics

Introduction

Are you looking for a process control system that gives you a single point-of-entry database with access to a totally integrated system?

The ProfessionalPLUS object-oriented, global database gives you the power to access all your data—including from third-party applications.

The ProfessionalPLUS Station comes with a complete set of operating, diagnostic and engineering tools. From IEC 61131-3 graphical control strategy configuration and debugging to graphics and history configuration, the ProfessionalPLUS Station has it all. User management is also performed here—you can set up your user privileges and system security from this one location.

You need one ProfessionalPLUS Station per DeltaV™ system. A ProfessionalPLUS Station is made up of the ProfessionalPLUS Station Software Suite and the DeltaV hardware to run it. This workstation contains the central DeltaV database.

Use the unique DeltaV Flexlock feature to securely lock operators into the DeltaV system, limiting user access to only the Windows applications that you chose, while also giving engineers the ability to access Windows applications, as needed.



Benefits

Global database, architected for flexibility and scalability. The ProfessionalPLUS Station includes a state-of-the-art, object-oriented database. This centralized database also provides a single point of entry for all DeltaV data. From history to OPC to control strategy configuration, the DeltaV ProfessionalPLUS Station has it. No data mapping is required for communications between a workstation and the controllers.


Graphical engineering capabilities. Engineer your system your way. Design your process control system in an environment similar to Microsoft Windows. Use the high-resolution graphics and drag-and-drop features for total engineering capabilities.

Implement using the pre-engineered library templates or customize them to fit your needs. Your process control system will be up and running in record time using DeltaV system engineering.


Robust and secure plant operation. Every DeltaV workstation has direct access to all operating information, from the current process values and operating displays to having alarms with the proper alarm priority, timestamp and alarm help.

Built-in, reliable operations features such as prioritized alarms and user security increase usability. Easily customize the standard operating desktop to fit your specific operational philosophies and work preferences.

Integrated system and device diagnostics. The DeltaV system offers an integrated approach to diagnostics with the look and feel of the Windows Explorer. No longer do you have to remember which diagnostics package to use or how to work each package—critical when the plant operation depends on immediate diagnosis of the situation.



Graphically view and debug executing control strategies.



The DeltaV Explorer centralizes all system configuration tasks, including alarm, control and smart device configuration.

Product Description

The ProfessionalPLUS Station Software Suite is designed so that you can engineer and operate the DeltaV system from a single workstation. Engineering, operations, maintenance, and diagnostic functions are included in this suite.

The DeltaV system can be easily expanded to accommodate additional operating, diagnostic and/or engineering users. These additional stations can be either remotely or directly connected to the DeltaV system. Refer to the Related Products section of this document for more information.


The high-performance ProfessionalPLUS Station Software Suite was developed following the Microsoft paradigm. Features such as windows, graphics, drag-and-drop, and cut-and-paste enable you to concentrate on your control strategies and not on the application.

Add and distribute engineering clients on other DeltaV workstations throughout the system as appropriate. The database and engineering clients are a client-server pair.

You have access to any system information by tag name – from anywhere in the system – because the ProfessionalPLUS Station transparently ensures that all nodes are cognizant of all other nodes and that all nodes know where tags are physically located.

The database is scalable, facilitating small and large projects and allowing you to expand readily as your needs grow. The database is open, allowing you to perform data import and export for bulk data entry or to use your favorite tools during system configuration.

Engineer your system your way. Enjoy using the high-resolution graphics and drag-and-drop features for total engineering capabilities. Use our pre-engineered library of control templates and devices, or customize them to fit your needs. Configuring your system with DeltaV, your process automation system will be up and running successfully in record time.




Integrated, Comprehensive Graphics configuration

Included with the ProfessionalPLUS Station is a complete library of graphic elements associated with the library control modules and devices.

Process control elements, from feed-forward and cascade control loops to powerful motor control algorithms are predefined in the library. Deployment is simple—drag and drop to view control and graphic elements.

With the DeltaV system, there are no behind-the-scenes translation programs that convert your graphical control strategy into a different structure. This allows you to easily view and troubleshoot your strategies with the same tools used to configure. Simply select “on-line” for a control tag and view its actual execution in the same graphical representation used to edit.

No matter where the control strategy is executing - DeltaV controller, workstation or Foundation fieldbus device, you use the same configuration, on-line view and modification capabilities.



DeltaV Neural provides easy-to-use tools for developing and training neural network models

The DeltaV system is not only easy to configure for standard control strategies such as loops and motors, but also places a new ease-of-use standard for embedded advanced control functionality such as neural networks and model predictive control. There are many advanced control options to choose from in the DeltaV system.

Users new to the DeltaV system can easily get started with the DeltaV Configuration Assistant. This wizard walks you through an overview of the configuration steps to help familiarize you with the layout and location of configuration.




DeltaV Configuration Assistant introduces you to DeltaV configuration – step by step

Your ProfessionalPLUS can also be used to remotely connect up to two DeltaV Remote Clients to your DeltaV system using thin-client technology.

Now hand over the ProfessionalPLUS Station to your operators to monitor, troubleshoot, and maintain your process.

DeltaV Operate provides a powerful graphics environment for process operation, with built-in features for easy and direct information access. Whether you are viewing the highest-priority alarm, the next display, related historical information or detailed tag information, operator navigation is consistent and intuitive.

Standard displays, faceplates, detail displays and operations layouts for both single and dual monitors provide a consistent operating philosophy. With DeltaV Operate, you have the option to use the standard library, or create your own to meet your specific needs.



Predefined displays provide a consistent operator interface

Each workstation manages its own alarms and data access. This includes alarm information such as when the alarm occurred, whether the alarm is suppressed and even access to the specific help for an alarm. With DeltaV, there is no additional server PC, or other intermediary required to be able to operate your plant.

Individual users can have specific privileges that determine which functions (e.g., operate and tune) they are allowed to perform and which parameters they are allowed to change. These user privileges can have a defined span of control, enabling the privileges to be tailored to certain plant areas.

Each Operator can be limited to certain plant areas for viewing and operating. This security feature can also be defined for an individual station. Use the DeltaV exclusive Flexlock to ensure that operators remain dedicated to monitoring, troubleshooting, and maintaining the process according to plant operating philosophies.

Use the unique DeltaV Flexlock feature to ensure that operators remain dedicated to monitoring, troubleshooting, and maintaining the process according to plant operating philosophies. Operators are locked in to their system responsibilities so nothing can preempt their duties.

In a DeltaV system, communications between nodes is totally transparent. You don't need to know the details associated with the request/response and exception reporting mechanisms embedded in every DeltaV node to take advantage of DeltaV communications. Workstation applications have automatic access to all tags in your process.

Tag information is transparently delivered throughout the DeltaV system so that all parts are aware of the others and can simply ask for tag information by name, not by some cryptic address or physical location.

DeltaV Diagnostics lets you quickly know the status of your control system and intelligent field devices. Diagnostics information is included not only for your DeltaV Workstations, Control Network, Controller, and I/O, but also includes support for AS-i, DeviceNet, Profibus DP, HART and FOUNDATION fieldbus intelligent devices.

Taking advantage of smart field devices, DeltaV Diagnostics lets you look at information from internal device diagnostics to communications statistics—all from your desktop.

Name	Description	Value
Control Network	Control Network	OK
USALST-ADVERT12	Overall Integrity	60000
Software	Software Revision	10.3.0.3327.rtd
Diags	Diags Downloaded	63
Diags	Diags Scanned per Second	18
Diags	Bad Reads	0
Diags	Bad Writes	0
Diags	Diags	69
Diags	Data Collection Loading Factor	0
Diags	Data Collection Stopped	90
Diags	Primary Storage Utilization Factor	24
Diags	Failed Automatic Data Set Exports	0
Diags	Number of Early Active History Data...	0
Diags	History Server is Available	100
Diags	Number of History Samples Stored in...	16
Diags	Primary Drive Cross Space	24943.7
Diags	Scanning Interface Loading Factor	0.1
Diags	Scanning Interface Samples Transfer...	10
Diags	History Storage Process Loading Fac...	1.1
Diags	History Storage Samples Written Out...	281
Diags	Scanner connection timeout: recoveries	0
Diags	Steps Scanned Activity Counter	21130900
Diags	Total samples read	2
Diags	Longest outstanding read duration	0
Diags	Number of clients connected	0

Diagnose the DeltaV system and intelligent devices


The included Continuous Historian can collect history locally on this workstation. You can have additional Continuous Historians on other workstations. You can view continuous, event, or batch historical data, regardless of the DeltaV workstation collecting the data. This allows you to centralize or decentralize your historical collection.

Emerson Process Management is the industry leader in scalable, plant-aware process automation systems. Our state-of-the-art, totally integrated applications give you the power to do more.

The following software applications are included in the ProfessionalPLUS Station Software Suite.

For detailed information about the following applications, refer to the appropriate product data sheet:


- **Alarm Help.** Provides Operators with in-context access to approved alarm response procedures and Control Engineers with native system configuration capability to administer alarm rationalization data per ISA-18.2 - Management of Alarm Systems for the Process Industries.
- **Configuration Software Suite.** Makes it easy to create Control Strategies and System Graphics to get your plant up and running quickly and efficiently.
- **Control Studio On-line.** Graphically monitor and troubleshoot running control strategies.
- **DeltaV Continuous Historian.** Captures up to 250 analog, discrete, and text parameters along with their status and stores them for future analysis.
- **DeltaV Operate.** High performance operator graphics, trends and alarms offered in standard operating layouts and utilizing system-wide built-in security.



Powerful Operator Graphics configuration


- **DeltaV Reporter.** View, analyze and report historical process and alarm and event data from the DeltaV Continuous Historian and the Event Chronicle in your copy of Microsoft Excel.

- **Diagnostics.** Facilitates checking the overall health of your system and quickly resolving system hardware, software, and configuration issues.



Diagnose the DeltaV system and intelligent devices

- **Dual Monitor.** DeltaV Operate support of two screens for monitoring your process.
- **DeltaV Event Chronicle.** Captures process, system and user alarms and events and stores them in a Microsoft SQL Server database.
- **Flexlock.** Creates dual desktops on a single workstation to ensure that operators remain dedicated to monitoring, troubleshooting, and maintaining the process according to plant operating philosophies while also giving engineers the ability to access restricted areas as needed.




View Historical charts with Process History View

- **History View Suite.** Monitor your plant's continuous and event data—historically and in real time.

Products included with appropriate system licenses

When the appropriate system licenses are included in your DeltaV system, the following applications are provided:

- **AMS Device Manager Client SC for Device Status.** Provides the ability to view the status of HART and FOUNDATION fieldbus devices (license from AMS Suite: Intelligent Device Manager required for configuration capability).
- **Campaign Manager Operator Interface.** The interface used by the operator to create and control campaign execution.
- **DeltaV Operate for Batch.** Batch Controls allow you to operate your batches from the same DeltaV Operate environment used to monitor and control your process.



Integrated batch operation


- **DeltaV Neural.** Easily configure virtual sensors that are executed in the DeltaV neural net function blocks.
- **DeltaV Predict and PredictPro.** Model Predictive Control (MPC) which runs in DeltaV to provide multivariable control and optimization for small and large applications. Includes off-line model identification and simulation, plus on-line MPC with operator interface.
- **History View Suite.** Additionally monitor your plant's batch data—historically and in real time.
- **Recipe Exchange.** An open, programmatic interface to the DeltaV recipe management system. Recipe Exchange is based on an XML schema that provides the ability to programmatically import and export DeltaV recipes.

- **Recipe Studio.** Powerful yet simple to use application for graphically configuring recipes (with formulas) for successful batch production.

Options

To enhance your ProfessionalPLUS Station, the following options may be added:

- **AMS Device Manager Server Plus.** Provides the engineering interface to device calibration and configuration software for HART and Foundation fieldbus devices. Includes the AMS Device Manager Client SC for this workstation (licensed by AMS Suite: Intelligent Device Manager).
- **AMS SNAP-ON Product Options.** Choose from a variety of AMS configuration options. Refer to www.assetweb.com for the list of AMS SNAP-ON product options.
- **Configuration Audit Trail.** A powerful tool that tracks changes and manages revision information for any item in the DeltaV configuration database, including Safety Instrumented System (SIS) items.
- **DeltaV Analyze.** Provides Web based analysis of alarms and events in either the Event Chronicle or Plant Event Historian.




Quickly detect alarm patterns with DeltaV Analyze

- **DeltaV Connect.** Integrate the DeltaV operator interface to a variety of different control systems (refer to the Product Data sheets for systems offered).
- **DeltaV Excel Add-in*.** OPC Data Access client application providing read/write access to DeltaV real-time information in your copy of Microsoft Excel.

- **DeltaV Four-Monitor Workstation.** DeltaV Operate support of up to four screens to monitor your process. Refer to Workstation Hardware for workstation requirements.
- **DeltaV Operator Keyboard.** Flexible, custom, dedicated operator touch screen keyboard for DeltaV workstations. Refer to Workstation Hardware for workstation requirements.
- **DeltaV InSight.** Control performance monitoring and loop tuning application embedded in DeltaV. Identifies control problems and improves control performance with automatic process learning, loop diagnostics, on-demand and adaptive tuning, and automatic report generation.

- **OPC Excel Add-in*.** Accesses any online data and brings it into your copy of Excel.
- **OPC Mirror.** Transfers thousands of values back and forth between your DeltaV system and other OPC-compliant systems
- **OPC Pager.** Keeps a 24-hour eye on your critical values and notifies you when they meet your alert criteria.

** The OPC Data Server and the DeltaV Excel Add-in cannot run simultaneously on the ProfessionalPLUS*



Use DeltaV InSight for Performance Monitoring and loop tuning

- **DeltaV InSight Basic.** Basic control performance monitoring and on-demand loop tuning application available for a single DeltaV workstation. This option is only applicable when DeltaV InSight is not included on your system.
- **DeltaV Remote Access Service for the ProfessionalPLUS.** Enables communications to a remote DeltaV Workstation.
- **OPC Data Server*.** Provides up to 250 real-time process values to OPC clients on your plant network.
- **OPC Events Server.** Provide DeltaV alarms and events to 3rd party applications.
- **OPC History Server.** Exposes all DeltaV historical data using the industry standard OPC Historical Data Access interface.

Ordering Information

Description	Model Number
ProfessionalPLUS Station Software Suite, pre-v12.3 systems	VE2101Sxxxx
ProfessionalPLUS Station Software Suite, v12.3 or newer systems	VE2101Sxxxx-1

**Where xxxx represents the DeltaV system DST size. The DST size varies from 100 to 30,000 DSTs*

Related Products

Related Software Products

- **Application Station Software Suite.** Integrate DeltaV with 3rd party systems and applications on a DeltaV workstation. Includes a scalable DeltaV Continuous Historian and DeltaV OPC Data Access server.
- **Base Station.** Centralized DeltaV applications, where the combination of applications included are user selected on a DeltaV workstation.
- **DeltaV Remote Access Service.** Enables communications to a remote DeltaV workstation.
- **DeltaV Remote Client.** Remotely connect to your DeltaV system using thin-client technology.
- **Maintenance Station Software Suite.** Centralized system and device maintenance, including device calibration, device and hardware alerts and diagnostics on a DeltaV workstation
- **Operator Station Software Suite.** Centralized operations and diagnostics on a DeltaV workstation
- **Professional Station Software Suite.** Centralized operations, engineering and diagnostics on a DeltaV workstation

- **DeltaV Engineering Seat Software Suite.** Access to engineering tools on-demand from a DeltaV workstation or Remote Client session

Related Hardware Products

- **DeltaV Workstation Hardware.** Select from a variety of PC and server hardware, tested and preloaded with DeltaV software.

Prerequisites

- This software suite must be loaded onto a DeltaV workstation. A variety of hardware is available to meet your specific requirements. Refer to the DeltaV Workstation Hardware Product Data Sheet.
- Use of the DeltaV Reporter or DeltaV Excel Add-in products require a copy of Microsoft Excel (provided by others).

To locate a sales office near you, visit our website at:

www.EmersonProcess.com/DeltaV

Or call us at:

Asia Pacific: 65.6777.8211

Europe, Middle East: 41.41.768.6111

North America, Latin America: +1 800.833.8314 or
+1 512.832.3774

For large power, water, and wastewater applications

contact Power and Water Solutions at:

www.EmersonProcess-powerwater.com

Or call us at:

Asia Pacific: 65.6777.8211

Europe, Middle East, Africa: 48.22.630.2443

North America, Latin America: +1 412.963.4000

© Emerson Process Management 2013. All rights reserved. For Emerson Process Management trademarks and service marks, go to: <http://www.emersonprocess.com/home/news/resources/marks.pdf>.

The contents of this publication are presented for informational purposes only, and while every effort has been made to ensure their accuracy, they are not to be construed as warranties or guarantees, express or implied, regarding the products or services described herein or their use or applicability. All sales are governed by our terms and conditions, which are available on request. We reserve the right to modify or improve the design or specification of such products at any time without notice.



www.DeltaV.com

